


Fr. 25.10.2022
 = Delev, Tilgjengeligg
 Utgått

IGLAND Accessories for Skidding Winches Parts Catalogue




GENERAL INFO

This Parts Catalogue consists of 8 numbered pages.
 This Catalogue: P/N 390601
 N/A: Not Available

© IGLAND AS

- Gjengivelse av tekst og tegninger uten tillatelse forbudt.
- Reproduction of text or illustrations without permission is prohibited.
- Eine Wiedergabe von Texten und Zeichnungen ohne unsere Genehmigung ist nicht gestattet.
- Interdiction de toute reproduction de textes ou d'illustrations sans autorisation préalable.



Choker Chains - See page 2
 Fibre Straps - See page 3
 Steel Wire Rope Chokers - See page 4



Approved:	Revised: T.K. 21.11.01
	Issued: AIS 09.04.96

IGLAND Accessories for Skidding Winches

Choker Chains

- Profile: Round
- Profile: Rectangular

⚠ DANGER: Should not be used for lifting purposes



200694 N/A
121 mm, 0.1 kg
Not available
Use P/N 200609

200609



201214

Gold d Chaln ■
201500 0.75 m, 6x7 mm
6.700 kp, 1.3 kg

Gold d Chaln ●
201209 2.0 m, 6.3 mm
2.000 kp, 2.0 kg
201216 2.5 m, 6.3 mm
2.500 kp, 2.4 kg

Gold d Chaln ■
201511 2.0 m, 6x7 mm
2.000 kp, 2.4 kg
201516 2.5 m, 6x7 mm
2.500 kp, 2.9 kg

Gold d Chaln ●
201205 2.0 m, 6.3 mm
2.000 kp, 2.0 kg
201206 2.5 m, 6.3 mm
2.500 kp, 2.4 kg

Gold d Chaln ■
201503 1.5 m, 6x7 mm
1.500 kp, 1.9 kg
201504 2.0 m, 6x7 mm
2.000 kp, 2.4 kg

Gold d Chaln ●
201225 2.0 m, 8x8 mm
2.000 kp, 3.52 kg
201226 2.5 m, 8x8 mm
2.500 kp
201224 N/A 3.0 m, 8x8 mm
3.000 kp
201228 N/A 2.5 m, 10 mm
12.500 kp, 6.6 kg

Gold d Chaln ■
201210 For Steel Wire Rope, max. 12 mm,
160 mm, 0.6 kg
Grad 80' ■
201230 N/A 8x8 mm 0.5 kg
201231 N/A 10 mm 1.26 kg

Gold d Chaln ■
201211 For Steel Wire Rope, max. 12 mm,
160 mm, 0.6 kg
Grad 80' ■
201232 N/A 8x8 mm 0.5 kg
201233 N/A 10 mm 1.26 kg


Gold d Chaln ●
201203 6.3 mm, bulk item
Gold d Chaln ■
201507 6x7 mm, bulk item

200691 2.0 m, 7.2 mm, 2.4 kg
201212 N/A 2.0 m, 6.3 mm, Gold d chaln', 1.9 kg

Special Products
Not available

Gold d Chaln ■
200705 For Steel Wire Rope, max. 12 mm,
160 mm, 0.6 kg
Grad 80' ■
201232 N/A 8x8 mm 0.5 kg
201233 N/A 10 mm 1.26 kg

Gold d Chaln ■
200705 For Steel Wire Rope, max. 12 mm,
160 mm, 0.6 kg
Grad 80' ■
201232 N/A 8x8 mm 0.5 kg
201233 N/A 10 mm 1.26 kg



201002


201003

200648


IGLAND Accessories for Skidding Winches

Fibre Straps


⚠ DANGER: Should not be used for lifting purposes




200502	L = 0.8 m
6.000 kp, 1.1 kg	
200506	L = 1.0 m
6.000 kp, 1.1 kg	
200512	L = 1.2 m
6.000 kp, 1.1 kg	
200522	L = 1.6 m
6.000 kp, 1.2 kg	



200551	L = 0.8 m
6.000 kp, 0.3 kg	
200555	L = 1.0 m
6.000 kp, 0.3 kg	
200561	L = 1.2 m
6.000 kp, 0.3 kg	
200571	L = 1.6 m
6.000 kp, 0.4 kg	



200708
0.7 kg



200705



200709
0.5 kg





200582	Cord, type Karat
Karat, bulk item, 3.100 kp, 12 mm, 0.1 kg	
200581	Karat, 50 m, 3.100 kp, 12 mm, 3.8 kg
200592	Karat, bulk item, 4.300 kp, 14 mm, 0.1 kg
200591	Karat, 50 m, 4.300 kp, 14 mm, 4.6 kg
200596	Karat, bulk item, 5.500 kp, 16 mm, 0.134 kg

IGLAND Accessories for Skidding Winches

Steel Wire Straps

⚠ DANGER: Should not be used for lifting purposes



200730 1,2 m, 11 mm, 7,760 kp, 1,3 kg
200731 1,5 m, 11 mm, 7,760 kp, 1,4 kg
200736 1,5 m, 12 mm, 9,450 kp, 1,5 kg


200710 2,4 m, 11 mm, 7,760 kp, 1,5 kg
200711 3,0 m, 11 mm, 7,760 kp, 1,8 kg
200716 3,0 m, 12 mm, 9,450 kp, 2,0 kg

200728 1,5 m, 11 mm, 7,760 kp, 1,6 kg
200725 2,0 m, 11 mm, 7,760 kp, 1,9 kg
200726 1,5 m, 12 mm, 9,450 kp, 1,8 kg
200727 2,0 m, 12 mm, 9,450 kp, 2,0 kg

200741 1,0 m, 9 mm, max. 3,300 kp, 1,0 kg
200743 N/A 1,2 m, 9 mm, max. 3,300 kp, 1,1 kg
200744 N/A 1,4 m, 9 mm, max. 3,300 kp, 1,2 kg

201006 L = 152 mm
For steel wire rope 10–12 mm
0,7 kg


200780 1,4 m, 10 mm, 6,570 kp, 1,1 kg
200786 1,6 m, 11 mm, 7,940 kp, 1,3 kg
200787 1,8 m, 11 mm, 7,940 kp, 1,4 kg
200788 2,0 m, 11 mm, 7,940 kp, 1,5 kg
200791 1,9 m, 12 mm, 9,450 kp, 1,6 kg
200792 2,2 m, 12 mm, 9,450 kp, 1,8 kg
200793 2,5 m, 12 mm, 9,450 kp, 1,9 kg



IGLAND Accessories for Skidding Winches

⚠ DANGER: Should not be used for lifting purposes


Steel Wire Rope Hooks etc



WIRE ROPE, 6x26WS+IWRC 180 kp,
WIRE ROPE, according to ISO 4254-4



8 mm	200190 50 n, 4,200 kp, 13.5 kg	200190 50 n, 4,200 kp, 13.5 kg
	200191 100 n, 4,200 kp, 27.0 kg	200191 100 n, 4,200 kp, 27.0 kg
	200192 150 n, 4,200 kp, 40.5 kg	200192 150 n, 4,200 kp, 40.5 kg
	200193 200 n, 4,200 kp, 54.0 kg	200193 200 n, 4,200 kp, 54.0 kg
	200194 250 n, 4,200 kp, 67.5 kg	200194 250 n, 4,200 kp, 67.5 kg
	200195 270 n, 4,200 kp, 72.0 kg	200195 270 n, 4,200 kp, 72.0 kg
	200196 400 n, 4,200 kp, 108.0 kg	200196 400 n, 4,200 kp, 108.0 kg
9 mm	200199 35 n, 5,300 kp, 11.2 kg	200199 35 n, 5,300 kp, 11.2 kg
	200200 50 n, 5,300 kp, 16.0 kg	200200 50 n, 5,300 kp, 16.0 kg
	200201 100 n, 5,300 kp, 32.0 kg	200201 100 n, 5,300 kp, 32.0 kg
	200202 150 n, 5,300 kp, 48.0 kg	200202 150 n, 5,300 kp, 48.0 kg
10 mm	200310 35 n, 6,570 kp, 14.7 kg	200310 35 n, 6,570 kp, 14.7 kg
	200311 50 n, 6,570 kp, 21.0 kg	200311 50 n, 6,570 kp, 21.0 kg
	200312 100 n, 6,570 kp, 42.0 kg	200312 100 n, 6,570 kp, 42.0 kg
	200313 250 n, 6,570 kp, 105.0 kg	200313 250 n, 6,570 kp, 105.0 kg
	200314 500 n, 6,570 kp, 210.0 kg	200314 500 n, 6,570 kp, 210.0 kg
11 mm	200220 35 n, 7,760 kp, 17.7 kg	200220 35 n, 7,760 kp, 17.7 kg
	200221 50 n, 7,760 kp, 25.3 kg	200221 50 n, 7,760 kp, 25.3 kg
	200222 100 n, 7,760 kp, 50.6 kg	200222 100 n, 7,760 kp, 50.6 kg
12 mm	200430 35 n, 9,450 kp, 21.35 kg	200430 35 n, 9,450 kp, 21.35 kg
	200431 50 n, 9,450 kp, 30.3 kg	200431 50 n, 9,450 kp, 30.3 kg
	200432 100 n, 9,450 kp, 61.0 kg	200432 100 n, 9,450 kp, 61.0 kg
13 mm	200443 50 n, 11,100 kp, 35.5 kg	200443 50 n, 11,100 kp, 35.5 kg
	200444 100 n, 11,100 kp, 71.0 kg	200444 100 n, 11,100 kp, 71.0 kg
14 mm	200451 50 n, 12,900 kp, 41.0 kg	200451 50 n, 12,900 kp, 41.0 kg
	200452 80 n, 12,900 kp, 82.0 kg	200452 80 n, 12,900 kp, 82.0 kg
	200453 100 n, 12,900 kp, 102.7 kg	200453 100 n, 12,900 kp, 102.7 kg
	200456 300 n, 12,900 kp, 308.1 kg	200456 300 n, 12,900 kp, 308.1 kg



Wire Spool
200466
For lengths 100 m



8 mm	200117 35 n	200117 35 n
	200158 40 n	200158 40 n
	200160 50 n	200160 50 n
	200162 80 n	200162 80 n
	200167 100 n	200167 100 n
9 mm	200185 35 n	200185 35 n
	200187 40 n	200187 40 n
	200188 50 n	200188 50 n
	200189 75 n	200189 75 n
10 mm	200170 35 n	200170 35 n
	200172 40 n	200172 40 n
	200173 50 n	200173 50 n
	200174 75 n	200174 75 n
11 mm	200175 35 n	200175 35 n
	200176 40 n	200176 40 n
	200177 50 n	200177 50 n
	200178 70 n	200178 70 n
	200179 80 n	200179 80 n
12 mm	200180 35 n	200180 35 n
	200181 40 n	200181 40 n
	200182 50 n	200182 50 n
	200183 70 n	200183 70 n
	200184 80 n	200184 80 n

8 mm	200389 40 n	200389 40 n
	200390 50 n	200390 50 n
	200391 100 n	200391 100 n
	200392 150 n	200392 150 n
	200393 200 n	200393 200 n
	200394 250 n	200394 250 n
	200395 400 n	200395 400 n
9 mm	200399 35 n	200399 35 n
	200403 40 n	200403 40 n
	200404 50 n	200404 50 n
	200405 75 n	200405 75 n
	200406 100 n	200406 100 n
	200407 150 n	200407 150 n
10 mm	200410 35 n	200410 35 n
	200411 40 n	200411 40 n
	200412 50 n	200412 50 n
	200413 75 n	200413 75 n
	200414 100 n	200414 100 n
11 mm	200420 35 n	200420 35 n
	200421 40 n	200421 40 n
	200422 50 n	200422 50 n
	200423 70 n	200423 70 n
	200424 80 n	200424 80 n

Bulk Item

200050 2 mm, Gal v.	200050 2 mm, Gal v.
200065 4 mm, Gal v.	200065 4 mm, Gal v.
200085 8 mm, Gal v.	200085 8 mm, Gal v.
200398 9 mm, do.	200398 9 mm, do.
200408 10 mm, do.	200408 10 mm, do.
200418 11 mm, do.	200418 11 mm, do.
200428 12 mm, do.	200428 12 mm, do.
200438 13 mm, do.	200438 13 mm, do.
200448 14 mm, do.	200448 14 mm, do.

200460 Add to order price for cutting
(Lengths 100 m)




022160 N/A
For splitting



022075 N/A
For cutting




200633 (4 tons)



200723 (10 tons)
For 12 mm wire rope



200767 N/A (8 tons)



200647
For 8-11 mm wire rope




200640 (4 tons)




200641 (4 tons)




200642 (4 tons)




200467 (Factory fitted only)




200464 (Factory fitted only)



200463 (Factory fitted only)



200462 (Factory fitted only)



200465 (Factory fitted only)





200461 (Factory fitted only)



IGLAND Accessories for Skidding Winches

Blocks







⚠ DANGER: Should not be used for lifting purposes



200574 (10 tons) L = 2.0 m
 200573 (5 tons) L = 2.0 m
 200572 (2.5 tons) L = 2.0 m








231500
 Early version
 Not available
 Use P/N 231501



ICLAND Accessories for Skidding Winches





Blocks

⚠ DANGER: Should not be used for lifting purposes



ICLAND Accessories for Skidding Winches

Miscellaneous





Pr. 25.10.2022
= Peter, Tiggengelig
-11- Utgått

IG LAND

Deleliste
Ersatzteilliste
Parts List


Nr.
Nr.
no.

1021-0

Varenr. komplett (for vinsjer m/ nr. høyere enn 2265) : 102101
Varenr. komplett (for vinsjer m/ nr. lavere enn 2265) : 102100


SIDEBETJENING FOR SPECIAL 4000/2 FOR VINSJ MED KJEDEHJULET BAKOVER

VINSJER MED NR. LAVERE ENN 2265
MÅ I TILLEGG HA BRAKET NR. 021504



ILL. BILDE NR.	BILDEBETJ. KOMP.	ILL. BILDE NR.	BILDEBETJ. KOMP.
102101	Sidebetj. m/ nr. 2265	10	010370 Hjulet 5,8 UNF
102101	Del. for vinsj m/ nr. 2265	11	102114 Arm m/ kjedene
102101	Del. for vinsj m/ nr. 2265	12	102115 " "
102101	Del. for vinsj m/ nr. 2265	13	102116 " "
102101	Del. for vinsj m/ nr. 2265	14	102117 " "
102101	Del. for vinsj m/ nr. 2265	15	021045 Spinnings 4x20
102101	Del. for vinsj m/ nr. 2265	16	102118 Jern for feste av
102101	Del. for vinsj m/ nr. 2265	17	015566 fjer
102101	Del. for vinsj m/ nr. 2265	18	012245 Gjengestill 112x16
102101	Del. for vinsj m/ nr. 2265	19	012270 Skrue 112x16
102101	Del. for vinsj m/ nr. 2265	20	029492 Plastbånd m/

VERNEGITTER FESTES PÅ TÅRNET



W.G. a.s. 23.3.83