





IGLAND 4002 TL and Special 4000/2 Parts Catalogue

Serial No.: 0001 →



Covers also 4002 T (Parallelogram)
and Special 4000/2

GENERAL INFO


This Parts Catalogue consists of 18 numbered pages.

This Catalogue: P/N 390332


N/A: Not Available

© IGLAND AS


- Gjengivelse av tekst og tegninger uten tillatelse forbudt.
- Reproduction of text or illustrations without permission is prohibited.
- Eine Wiedergabe von Texten und Zeichnungen ohne unsere Genehmigung ist nicht gestattet.
- Interdiction de toute reproduction de textes ou d'illustrations sans autorisation préalable.



Lever Extension Kit
4 Pieces, P/N 100600
If fitted
See page 3





See page 2



Approved:	Revised: T.K. 05.11.01
	Issued: AIS 14.10.94



IGLAND 4002 TL and Special 4000/2


HEAD



IGLAND 4002 TL and Special 4000/2

"HEAD"






IGLAND 4002 TL and Special 4000/2



Page 4


"HEAD"



IGLAND 4002 TL and Special 4000/2


"HEAD"






IGLAND 4002 TL


THREE POINT HITCH
C/W LOGGING SHIELD




Model "Parallelogram" c/w bolt-on winch stool
Basic Model from Serial No.: 2690⇒ See page 10




Model "TL" c/w bolt-on HMV winch stool
See page 8



Model "TL" c/w bolt-on Triangel winch stool
See page 9




Model "TL" c/w bolt-on standard winch stool
See page 7




IGLAND 4002 TL


THREE POINT HITCH
C/W LOGGING SHIELD




Model "Parallelogram" c/w bolt-on winch stool
Basic Model from Serial No.: 2690⇒ See page 10



Model "TL" c/w bolt-on HMV winch stool
See page 8






Model "TL" c/w bolt-on Triangel winch stool
See page 9













Model "TL" c/w bolt-on standard winch stool
See page 7


THREE POINT HITCH
Model TL
winch stool



IGLAND 4002 TL


THREE POINT HITCH Model TL HMV winch stool






IGLAND 4002 TL

THREE POINT HITCH
Model TL
Triangel winch stool








IGLAND 4002 TL

THREE POINT HITCH Model Parallelogram

070541 N/A
Option
Recommended
for small tractors
only







IGLAND 4002 TL

BUTT PLATE


Lignette 1,7 m




Lignera 1,7 m



Ligna 2,0 m





GS Model




IGLAND 4002 TL


FAIRLEADS




See page 14
Conventional Fairleads
Current version



See page 14
Conventional Fairleads
Early version





See page 13
"Butterfly" Fairleads
Not for Model "Parallelogram" winch stool.




IGLAND 4002 TL

FAIRLEAD
P/N: 070643


See page 13
Current version









070640
Black painted
Serial No.:
2687⇒




070642
Black painted
Serial No.:
2687⇒







070641 N/A
Black painted
Serial No.:
2687⇒










IGLAND 4002 TL

PROTECTION SCREEN



N/A 158264
If fitted
Early version.







IGLAND 4002 TL

Parking legs

See page 11





See page 11



Early version

Serial No.: → 2686
(Three Point Hitch
Model Parallelogram only)





Current version


Serial No.: 2687 →
(All Three Point Hitch Models
except Model Triangel. See page 9)

IGLAND 4002 TL and Special 4000/2







Miscellaneous



WIRE ROPE, 6x26WS+IWRC 180 kp, 10 mm



WIRE ROPE, according to ISO 4254-4



Intentionally blank